Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	Laryango Scope with Blades ADULT						10.00			
						Total Qty	10.00	Nos	1423.90	14239.00
Item No. 102	Spot Light									
	RA Bill -01									
	Measurements taken on									
	Spot Light						10.00			
						Total Qty	10.00	Nos	11047.50	110475.00
Item No. 103	Haemorroid octomy Set									
	RA Bill-02									
	Measurements taken on									
	Haemorroid octomy Set						1.00			
						Total Qty	1.00	Nos	16694.00	16694.00
Item No. 104	Haemorroid octomy Set									
	RA Bill-02									
	Measurements taken on									
	Haemorroid octomy Set						1.00			
						Total Qty	1.00	Nos	29460.00	29460.00
Item No. 105	Shrodhkar Forceps									
	RA Bill -01									
	Measurements taken on									
	Shrodhkar Forceps						1.00			
						Total Qty	1.00	Nos	1669.40	1669.40
Item No. 106	Hydrocele SET									
	RA Bill -01									
	Measurements taken on									
	Hydrocele SET						1.00			
						Total Qty	1.00	Nos	8347.00	8347.00
Item No. 107	Hernia SET									
	RA Bill-02									
	Measurements taken on									
	Hernia SET						1.00			
						Total Qty	1.00	Nos	16595.80	16595.80
Item No. 108	Humbey's Knife									
	RA Bill -01									
	Measurements taken on									

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	Humbey's Knife									
						Total Qty	1.00	Nos	8347.00	8347.00
Item No. 109	Sims Anal Speculum Large									
	RA Bill-02									
	Measurements taken on									
	Sims Anal Speculum Large									
						Total Qty	1.00 **1.00**	Nos	1374.80	1374.80
Item No. 110	Sims Anal Speculum Medium									
	RA Bill-02									
	Measurements taken on									
	Sims Anal Speculum Medium									
						Total Qty	1.00 **1.00**	Nos	1374.80	1374.80
Item No. 111	Skin Hooks & retractor									
	RA Bill -01									
	Measurements taken on									
	Skin Hooks & retractor									
						Total Qty	1.00	Nos	2651.40	2651.40
Item No. 112	Babcocs									
	RA Bill -01									
	Measurements taken on									
	Babcocs						1.00			
						Total Qty	1.00	Nos	883.80	883.80
Item No. 113	Anesthesia Face mask different Sizes									
	RA Bill-02									
	Measurements taken on									
	Anesthesia Face mask						1.00			
						Total Qty	**1.00**	Nos	883.80	883.80
Item No. 114	A.O.Reduction Clamps Large (ortho)									
	RA Bill-02									
	Measurements taken on									
	A.O.Reduction Clamps Large (ortho)						1.00			
						Total Qty	**1.00**	Nos	5008.20	5008.20
Item No. 115	A.O.Reduction Clamps Small (ortho)									
	RA Bill-02									
	Measurements taken on									

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	A.O.Reduction Clamps Small (ortho)						1.00			
						Present Qty	1.00	Nos	5008.20	5008.20
Item No. 116	Intra Medullary Remurus Flexible 8.5,9.5,10.5,11.5 (ortho)									
	RA Bill-02									
	Measurements taken on									
	Intra Medullary Remurus						1.00			
						Present Qty	1.00	Nos	2847.80	2847.80
Item No. 117	Crocodile Reduction Clamp large									
	RA Bill -01									
	Measurements taken on									
	Crocodile Reduction Clamp large						1.00			
						Total Qty	1.00	Nos	3829.80	3829.80
Item No. 118	Crocodile Reduction Clamp small									
	RA Bill -01									
	Measurements taken on									
	Crocodile Reduction Clamp large						1.00			
						Total Qty	1.00	Nos	3829.80	3829.80
Item No. 119	wire Cutter									
	RA Bill -01									
	Measurements taken on									
	wire Cutter						1.00			
						Total Qty	1.00	Nos	4959.10	4959.10
Item No. 120	Hand Drill									
	RA Bill -01									
	Measurements taken on									
	Hand Drill						1.00			
						Total Qty	1.00	Nos	11096.60	11096.60
Item No. 121	Steimion Pins (ORTHO)									
	RA Bill -01									
	Measurements taken on									
	Steimion Pins						1.00			
						Total Qty	1.00	Nos	1669.40	1669.40
Item No. 122	Sinus probe									
	RA Bill -01									

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	Measurements taken on									
	Sinus probe						1.00			
						Total Qty	1.00	**Nos**	1325.70	1325.70

Item No. 123	Towel Clip									
	RA Bill -01									
	Measurements taken on									
	Towel Clip						1.00			
						Total Qty	1.00	**Nos**	834.70	834.70

Item No. 124	S.S. WIRE diffeent Sizes (ORTHO) EACH Size									
	RA Bill -01									
	Measurements taken on									
	S.S. WIRE						1.00			
						Total Qty	1.00	**Nos**	294.60	294.60

Item No. 125	K-WIRE DIFFERENT EACH SIZES (ORTHO)									
	RA Bill -01									
	Measurements taken on									
	K-WIRE						1.00			
						Total Qty	1.00	**Nos**	294.60	294.60

Item No. 126	Lamenectomy SET									
	RA Bill-02									
	Measurements taken on									
	Lamenectomy SET						1.00			
						Total Qty	**1.00**	Nos	27594.20	27594.20

Item No. 127	Super micro ear Forceps,serrated, 0.6X2.0MM EFFECTIVE Length 75mm									
	RA Bill-02									
	Measurements taken on									
	Super micro ear Forceps						1.00			
						Total Qty	**1.00**	Nos	2651.40	2651.40

Item No. 128	Ear Forceps, Serrated St 1.0 x 4.2mm Effective Length 75mm									
	RA Bill-02									
	Measurements taken on									
	Ear Forceps						1.00			
						Present Qty	**1.00**	Nos	2651.40	2651.40

Item No. 129	Super micro ear Forceps oval Cupped jars 0.8 x 1.0mm Effective Length75mm									
	RA Bill -01									
	Measurements taken on									
	Super micro ear Forceps						1.00			

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No.	No.	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
						Total Qty	1.00	Nos	3878.90	3878.90
Item No. 130	Super Micro Ear Forceps oval Cupped jars 0.6x 0.8mm Effective Length 75mm									
	RA Bill -01									
	Measurements taken on									
	Super Micro Ear Forceps						1.00			
						Total Qty	1.00	Nos	3878.90	3878.90
Item No. 131	Hortman Ear Foeceps serrated OPEN -CLOSED TIP Type									
	RA Bill -01									
	Measurements taken on									
	Hortman Ear Foeceps						1.00			
						Total Qty	1.00	Nos	3928.00	3928.00
Item No. 132	Shea ear Forceps, Scissors, Straight, Blade Length 6.0mm Effective Length 75mm									
	RA Bill -01									
	Measurements taken on									
	Shea ear Forceps						1.00			
						Total Qty	1.00	Nos	3535.20	3535.20
Item No. 133	Volkman Retractor ,3 PRONGS blunt									
	RA Bill -01									
	Measurements taken on									
	Volkman Retractor						1.00			
						Total Qty	1.00	Nos	3535.20	3535.20
Item No. 134	Scissiors ,CURVED LENGTH 115MM									
	RA Bill -01									
	Measurements taken on									
	Scissiors ,CURVED						1.00			
						Total Qty	1.00	Nos	1335.52	1335.52
Item No. 135	Tissue Forceps,HOOK, TIP,WIDTH0.6MM, LENGTH130 MM									
	RA Bill -01									
	Measurements taken on									
	Tissue Forceps						1.00			
						Total Qty	1.00	Nos	2651.40	2651.40
Item No. 136	Pick, Small,right, length 180mm									
	RA Bill -01									
	Measurements taken on									
	Pick						1.00			
						Total Qty	1.00	Nos	2651.40	2651.40

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 137	Lempert ear Speculum, for Inner Ear, nasal speculum type									
	RA Bill -01									
	Measurements taken on									
	Lempert ear Speculum									
							1.00			
						Total Qty	1.00	Nos	2651.40	2651.40
Item No. 138	Disecting Forceps, FOR Surgical,Hook, Tip,Width 1.5mm ,Length 130mm									
	RA Bill -01									
	Measurements taken on									
	Disecting Forceps									
							1.00			
						Total Qty	1.00	Nos	2651.40	2651.40
Item No. 139	Scissors, Straight, Length 115 mm									
	RA Bill -01									
	Measurements taken on									
	Scissors									
							1.00			
						Total Qty	1.00	Nos	1325.70	1325.70
Item No. 140	Pick, Small,left , length 180mm									
	RA Bill -01									
	Measurements taken on									
	Pick, Small,left									
							1.00			
						Total Qty	1.00	Nos	1620.30	1620.30
Item No. 141	Sickle Knife For STAPEDIUS MUSCLE									
	RA Bill -01									
	Measurements taken on									
	Sickle Knife									
							1.00			
						Total Qty	1.00	Nos	2798.70	2798.70
Item No. 142	round knife ,straight, Diameter 2.5mm									
	RA Bill -01									
	Measurements taken on									
	round knife									
							1.00			
						Total Qty	1.00	Nos	2651.40	2651.40
Item No. 143	Pick, MEDIUM, RIGHT,LENGTH 180MM									
	RA Bill -01									
	Measurements taken on									
	Pick, MEDIUM, RIGHT									
							1.00			
						Total Qty	1.00	Nos	2749.60	2749.60

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 144	Pick ,Small, Right,Length 180mm									
	RA Bill -01									
	Measurements taken on									
	Pick ,Small, Right									
							1.00			
						Total Qty	1.00	Nos	5548.30	5548.30
Item No. 145	Rosen Probe 90 DEGREE ,Tip Length 0.6mm									
	RA Bill -01									
	Measurements taken on									
	Rosen Probe 90 DEGREE									
							1.00			
						Total Qty	1.00	Nos	5548.30	5548.30
Item No. 146	Rosen Probe 90 DEGREE ,Tip Length 1mm									
	RA Bill -01									
	Measurements taken on									
	Rosen Probe 90 DEGREE									
							1.00			
						Total Qty	1.00	Nos	5744.70	5744.70
Item No. 147	Lengenbeck periostem Raspatory, Width 6.5mm									
	RA Bill-02									
	Measurements taken on									
	Lengenbeck periostem Raspatory									
							1.00			
						Total Qty	**1.00**	Nos	5008.20	5008.20
Item No. 148	Langenbeck periosteal elivator									
	RA Bill-02									
	Measurements taken on									
	Langenbeck periosteal elivator									
							1.00			
						Total Qty	**1.00**	Nos	5008.20	5008.20
Item No. 149	Wullstein raspiratory ,Curved									
	RA Bill-02									
	Measurements taken on									
	Wullstein raspiratory ,									
							1.00			
						Total Qty	**1.00**	Nos	2798.70	2798.70
Item No. 150	Lucae ear Forceps, no hook									
	RA Bill -01									
	Measurements taken on									
	Lucae ear Forceps,									
							1.00			
						Previous Qty	1.00	Nos	2651.40	2651.40

Scanned by TapScanner

Sl. No / BOQ / WO	Description of Item	No.	No.	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 151	Myringtomy Knife									
	RA Bill -01									
	Measurements taken on									
	Myringtomy Knife									
							1.00			
						Previous Qty	1.00	Nos	2651.40	2651.40
Item No. 152	Shah's Ear Grommet									
	RA Bill -01									
	Measurements taken on									
	Shah's Ear Grommet									
							1.00			
						Previous Qty	1.00	Nos	2749.60	2749.60
Item No. 153	Mollison's MASTOID Retractor									
	RA Bill -01									
	Measurements taken on									
	Mollison's MASTOID Retractor									
							1.00			
						Previous Qty	1.00	Nos	2651.40	2651.40
Item No. 154	Lempert's Enduaral Retractor									
	RA Bill-02									
	Measurements taken on									
	Lempert's Enduaral Retractor									
							1.00			
						Total Qty	1.00	Nos	2651.40	2651.40
Item No. 155	Jansen's Self Retaining Mastoid Rectractor									
	RA Bill-02									
	Measurements taken on									
	Jansen's Self Retaining Mastoid						1.00			
						Total Qty	1.00	Nos	3535.20	3535.20
Item No. 156	Lempert's Endural Speculum									
	RA Bill -01									
	Measurements taken on									
	Lempert's Endural Speculum						1.00			
						Previous Qty	1.00	Nos	1669.40	1669.40
Item No. 157	Electric Burry Mastoid Guage									
	RA Bill-02									
	Measurements taken on									
	Electric Burry Mastoid Guage						1.00			
						Total Qty	1.00	Nos	1669.40	1669.40

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 158	Macewen currette & cell Seeker									
	RA Bill-02									
	Measurements taken on									
	Macewen currette						1.00			
						Total Qty	**1.00**	Nos	2651.40	2651.40
Item No. 159	Crocodile Forceps									
	RA Bill -01									
	Measurements taken on									
	Crocodile Forceps						1.00			
						Previous Qty	1.00	Nos	2651.40	2651.40
Item No. 160	Farabeaf periosteal Elevator									
	RA Bill-02									
	Measurements taken on									
	Farabeaf periosteal Elevator						1.00			
						Total Qty	**1.00**	Nos	2258.60	2258.60
Item No. 161	Bur set a) cutting bur, b) cutting diamond bur, c) a diamond bur									
	RA Bill-02									
	Measurements taken on									
	Bur set						1.00			
						Total Qty	**1.00**	Nos	5990.20	5990.20
Item No. 162	Mastoid Drill Piece									
	RA Bill-02									
	Measurements taken on									
	Mastoid Drill Piece						1.00			
						Total Qty	**1.00**	Nos	5008.20	5008.20
Item No. 163	Mastoid Drill Machine									
	RA Bill-02									
	Measurements taken on									
	Mastoid Drill Machine						1.00			
						Total Qty	**1.00**	Nos	59902.00	59902.00
Item No. 164	Gelform 14 ,Born wax									
	RA Bill-02									
	Measurements taken on									
	Gelform 14 ,Born wax						1.00			
						Total Qty	**1.00**	Nos	16497.60	16497.60

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 165	Cateract set : Corneal Forceps(colubri), conjuncitival scissiors, dialers, lens extractor, suture tying forceps, lens holding forceps, needle holders, small straight scissors, vanna's scissors,capsulorehxis forceps, Superior rectus forceps, Universal Eye Speculum, Anterior Chamber Cannulas (two way), A.C. Needles, Iris REPOSITORS									
	RA Bill-02									
	Measurements taken on									
	Cateract set						1.00			
						Total Qty	**1.00**	Nos	16497.60	16497.60
Item No. 166	Chalazion set:									
	RA Bill-02									
	Measurements taken on									
	Chalazion set:						1.00			
						Total Qty	**1.00**	Nos	11587.60	11587.60
Item No. 167	Pterygium Set									
	RA Bill-02									
	Measurements taken on									
	Pterygium Set						1.00			
						Total Qty	**1.00**	Nos	16497.60	16497.60
Item No. 168	Foreign Body Removal Set									
	RA Bill-02									
	Measurements taken on									
	Foreign Body Removal Set						1.00			
						Total Qty	**1.00**	Nos	5990.20	5990.20
Item No. 169	Lid retractors									
	RA Bill-02									
	Measurements taken on									
	Lid retractors						1.00			
						Total Qty	**1.00**	Nos	2651.40	2651.40
Item No. 170	Lacrymal Syringing Needle/									
	RA Bill-02									
	Measurements taken on									
	Lacrymal Syringing Needle/						1.00			
						Total Qty	**1.00**	Nos	2651.40	2651.40
Item No. 171	Lacrymal Probe									
	RA Bill-02									
	Measurements taken on									
	Lacrymal Probe						1.00			
						Total Qty	**1.00**	Nos	1669.40	1669.40

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 172	Punctum Dialtor									
	RA Bill-02									
	Measurements taken on									
	Punctum Dialtor									
							1.00			
						Total Qty	**1.00**	Nos	2651.40	2651.40
Item No. 173	Panasinc NS300 IP EPABX, PANASONIC KEY TELEPHONE SYSTEM - NS300,Configured for 6 trunk Lines ,2 digital extention & 60 analouge Extensions, Further Expandable up to 8 Lines & 96 analouge Extensions. Caller ID option Available. Built in SMDR & USB Port.Built in Voice DISA (Greeting Message).PC Programmable									
	RA Bill-02									
	Measurements taken on									
	PANASONIC KEY TELEPHONE SYSTEM -						1.00			
						Total Qty	**1.00**	Nos	162030.00	162030.00
Item No. 174	KEY TELEPHONE INSTRUMENT:Panasonic Key Telephone instrument - Single Line Display,12 Programmable Keys,High Quality Speaker Phone									
	RA Bill-02									
	Measurements taken on									
	KEY TELEPHONE INSTRUMENT						1.00			
						Total Qty	**1.00**	Nos	10409.20	10409.20
Item No. 175	TELEPHONE INSTRUMENTS - Panasonic Standard Telephone - KX-TS400,Timed Flash,3 Step Ringer Selector ,Wall Mountable									
	RA Bill-02									
	Measurements taken on									
	TELEPHONE INSTRUMENTS						60.00			
						Total Qty	**60.00**	Nos	785.60	47136.00
Item No. 176	MDF 20 Pair with MDF BOX									
	RA Bill-02									
	Measurements taken on									
	MDF 20 Pair with MDF BOX						4.00			
						Total Qty	**4.00**	Nos	3240.60	12962.40
Item No. 177	CAT 6 Cable									
	RA Bill-02									
	Measurements taken on									
	CAT 6 Cable									
	running from ground floor stair case to 50 pair MDF Near the room no 4	1	1	85.0			85.00			

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	running from main Distribution frame near the ground floor stair case to **28 telephone** connections in the **ground floor**	1	1	1325.0			1325.00			
	running from main Distribution frame near the ground floor stair case to **18 telephone** connections in the **first floor**	1	1	820.0			820.00			
	running from main Distribution frame near the ground floor stair case to **15 telephone** connections in the **second floor**	1	1	650.0			650.00			
	running from main Distribution frame near the ground floor stair case to **12 telephone** connections in the **third floor floor**	1	1	550.0			550.00			
	running from main Distribution frame near the ground floor stair case to main medical store room and PRADHAN MANTRI BHARATIYA JANAUSHADHI KENDRA telephone connections in outside near the gate	1	1	260.0			260.00			
	running from ground floor to first floor ,second floor and 3rd floor sub distribution box and LAN Cnnectivity for 4 numbers panasonic TV connection from the DVR Position in the 2nd floor GA room .	1	1	710.0			725.00			
						Total Qty	4415.00			
						Qty Upto 125%	**1500.00**	M	39.28	58920.00
						Qty Above 125%	**2915.00**	M	39.28	114501.20

Item No. 178	R. O. Plant (For Major OT and Labour Ward) & other wards									
	RA Bill-02									
	Measurements taken on									
	R. O. Plant						8.00			
						Total Qty	**8.00**	Nos	21113.00	168904.00

Item No. 179	Fire Extinguishers Type A, B, C (6KGS)									
	RA Bill-02									
	Measurements taken on									
	Fire Extinguishers						20.00			
						Total Qty	20.00			
						Present Qty	**20.00**	Nos	2504.10	50082.00

Scanned by TapScanner

Sl. no./ BOQ No.	Description of Item	No.	No.	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 180	Unit/Unit: A. General: 1. The machine should be capable of doing all the following renal replacement treatment as mentioned below. a. Haemodialysis (Normal HD) b. Online Hemodiafiltration c. Online SLEDD f. Extended daily dialfiltration EDD-f g. Prolonged daily intermittent renal replacement therapy (PDIRRT) h. Go slow dialysis i. Hybrid renal replacement modalities. 2. The machine should have two roller pumps. One is for blood pump; other is substitution pump for generating replacement fluid which is used during online modialfiltration and online Hemodifferation therapies. 3. Blood pump – blood flow range should be (effective) 30 to 600 ml/min, accuracy ± 10%. 4. Effective blood flow rate should be calculated and displayed on the front panel in a real time basis during dialysis automatically. 5. It shall be easy and safe to thread with bloodline diameter from 2 mm up to 10 mm. 6. Automatic set up and priming is preferred. 7. An emergency hand crank shall be provided for returning blood to patient when electrical power is lost. Direction of rotation shall be limited or visually indicated. 8. Single needle system 2 blood pumps, Interval pressure/pressure control with variable stroke volume(max 50 ml). 9. Dialysate flow: a. Dialysis fluid flow range should be selectable from 0-1000 ml/min (steps of 100 ml/min). 10. Dialysate flow should be on adequacy favoured basis. 11. Auto flow (selectable) automatic adaption of the dialysate flow to the effective blood flow (factors adjustable). 12. Dialysate consumption basis (It should be on selectable mode on needed basis)									
	RA Bill-02									
	Measurements taken on									
	Dialysis									
							Item not operated			
Item No. 181	Solar water - 500 lpd ETC SWH (PC) 58 dia									
	RA Bill-01									
	Measurements taken on									
	Solar water									
							4.00			
						Previous Qty	4.00	Nos	45172.00	180688.00
Item No. 182	SOLAR WATER -PLUMBING									
	RA Bill-02									
	Measurements taken on									
	Plumbing									
							1.00			
						Total Qty	**1.00**	LS	147300.00	147300.00
Item No. 183	High Definition Projector: Projector WXGA, 3600Lumens									
	RA Bill-02									
	Measurements taken on									
	High Definition Projector									
							2.00			
						Previous Qty	2.00	Nos	55974.00	111948.00
Item No. 184	Tripod For Projector :Ceiling Mount									
	RA Bill-02									
	Measurements taken on									
	Tripod For Projector									
							2.00			
						Previous Qty	2.00	Nos	3535.20	7070.40
Item No. 185	Tripod For Screen: Logic7x5 pull down screen,									

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	RA Bill-02									
	Measurements taken on									
	Tripod For Screen:									
							2.00			
						Previous Qty	2.00	Nos	8838.00	17676.00
Item No. 186	Loud Speaker :Honeywell Ceiling Speaker 6W,8ohm									
	RA Bill-02									
	Measurements taken on									
	Loud Speaker									
							5.00			
						Total Qty	5.00	Nos	1473.00	7365.00
Item No. 187	Cordless Mike: MX/Studio Master									
	RA Bill-02									
	Measurements taken on									
	Cordless Mike									
							5.00			
						Total Qty	5.00	Nos	11980.40	59902.00
Item No. 188	Computer: High Configuration, 2TB Ram, Generation Core i 7/i 9, :HP EliteDesk 800 G4 MT i7-8700-8GB DDR4 RAM, AMD Radeon R7 430 2GB Gfx Dedicated2TB HDD with 7200 RPM, DOS, DVD RW, 18.5" TFT, 3 yearson site warranty									
	RA Bill-01									
	Measurements taken on									
	Computer									
							25.00			
						Previous Qty	25.00	Nos	92859.88	2321497.00
Item No. 189	Jumbo Jet zerox Machine (1 COLOURED)-HP LASERJET 1136 MFP PRINTER -ALL-IN -ONE Print,scan,copy									
	RA Bill-01									
	Measurements taken on									
	Jumbo Jet zerox Machine									
							2.00			
						Previous Qty	2.00	Nos	17676.00	35352.00
Item No. 190	Printer with Scanner(COLOURED) (A4)-Speed: 25 PPM(Network Printing, Copying,Scanning & Wifi)A4 Size –Pass 600x600 DPI Document Feeder)Scan to mail, Scan to folde(UFR II Fast Rendering IIDirect Print From USB Pen Drive									
	RA Bill-01									
	Measurements taken on									
	Printer with Scanner									
							25.00			
						Previous Qty	25.00	Nos	19191.23	479780.75
Item No. 191	52" Monitor LED With Cameras (high Resolution) with Security Alert with backup UPS Systems - Panasoniv Monitor55" LED Monitor									
	RA Bill-02									
	Measurements taken on									
	52" Monitor LED With Cameras						15.00			
						Total Qty	15.00	Nos	80478.83	1207182.45

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 192	Pen Drive 128 GB-SANDISC128 gb pen drive									
	RA Bill-01									
	Measurements taken on									
	Pen Drive 128 GB									
							10.00			
						Total Qty	10.00	Nos	2356.80	23568.00
Item No. 193	Hard Disc 1TB-Segate HDD 1 TB EXTERNAL Back up hdd									
	RA Bill-01									
	Measurements taken on									
	Hard Disc 1TB									
							10.00			
						Total Qty	10.00	Nos	10802.00	108020.00
Item No. 194	32" Colour Television-32" TV Panasonic									
	RA Bill-01									
	Measurements taken on									
	32" TV									
							3.00			
						Total Qty	3.00	Nos	15712.00	47136.00
Item No. 195	online UPS FOR COMPUTERS ALL COMPUTERS									
	RA Bill-01									
	Measurements taken on									
	online UPS									
							25.00			
						Total Qty	25.00	Nos	4075.30	101882.50
Item No. 196	Computers Acessories (wire less key board, Mouse)-HP Wireless KB & MOUSE									
	RA Bill-01									
	Measurements taken on									
	HP Wireless KB & MOUSE									
							20.00			
						Total Qty	20.00	Nos	1522.10	30442.00
Item No. 197	Lap Top-HP i5-8250U, 4GB DDR4 RAM, 1TB SATA14" LED HD, No DVDRW, 1 Yr Onsite Warranty with 1Yr ADP, With Bag									
	RA Bill-01									
	Measurements taken on									
	Lap Top-HP i5									
							2.00			
						Total Qty	2.00	Nos	63830.00	127660.00
Item No. 198	Camera DSLR (meeting /program) :Nikon DSLR									
	RA Bill-02									
	Measurements taken on									
	Camera DSLR									
							2.00			
						Total Qty	2.00	Nos	40262.00	80524.00

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 199	labomed binacular microscope with UPS BACK UP (180-250V /ac):Viewing Body: Bino/Trino Butterfly style Adjestable height 30deg, incline, 360 rotable Single Mould stand with Extended base for hand rest. Reverse quadruple nose piece. Ultra Smooth Cam technology Co-axail controls Coarse & Fine focus knob. RACKLESS Double plate stage with Co-axail control for x/y movement of slide, DOUBLE Slide holder.Illumination: 6v-20w HALOGEN bulb OR LED with built-in battery Back of approx. 2 Hrs, with intensity control. the system allows flate field image and superb contrast in expanded 20mm field of view.Obj.: infinity PLAN Ach. 4x,10x,40, (SL), 100x(SL) Oil Imm. Eye Piece : WF 10x (FOV 20), Focusable with eye guards.									
	RA Bill-01									
	Measurements taken on									
	labomed binacular microscope						1.00			
						Total Qty	1.00	Nos	88380.00	88380.00
Item No. 200	Harmone Analyser :Feature : ● Throughput: up to 180 tests/hour ● 24 hours ready-to-use ● Time to first result:17 minutePrinciple of Luminescence ● Non-enzyme involved flash chemiluminescence, long stability of reagents ● ABEI label, stable in acid and alkaline solution Modes of Operation ● Random, Batch and STAT Sample Loading ● Up to 16 sample tubes ● Continuous loading, STAT available ● Analyzer auto numbered ● LIS connection ● Refrigerated sample area with independent power supply Reagent Loading ● 4 reagents on board ● Continuous loading ● RFID reading all info of reagents ● Refrigerated reagent area Reagent Features ● Integrated kit, ready-to-use, no pretreatment required ● Integrated kit including calibrators ● Using superparamagnetic microbeads ● RFID tag storing all info of reagent ● RFID tag with built-in master curve ● 2-point calibration to adjust master curve ● Calibration stability: Max 4 weeks Other Features ● Clot detection ● Liquid level detection for reagent ● Optional ratio for sample dilutionAuto dilution for high concentration sample ● Constant 37°C incubation ● 15-30°C Operating Temperature Operation System ● Windows 7 ● HP compatible (Dual-core CPU), Color touch screen Interconnection ● Connection to LIS via COM or network card ● Direct operation on LIS system to test Dimensions Weight ● 88x56x50cm, 56Kg									
	RA Bill-02									
	Measurements taken on									
	Harmone Analyser						1.00			68096.8
						Total Qty	**1.00**	Nos	1052415.29	1052415.29
Item No. 201	Protein Analyser Including HBA1C:TECHNICAL CHARACTERISTICS Autonomy , Continuous sample loadingTube capacity Proteins: 28 samplesHbA1c, Hb or CDT: 26 samplesThroughput Proteins: 20 tests/h HbA1c or Hb: 7 tests/hCDT: 10 tests/h Sample types Serum,Whole blood (capped tubes)Positive ID & Reagents TraceabilityBarcoded carousel and tubesHigh resolution built-in barcode readerPositive sample identificationFull traceability from primary tube to final resultBarcoded reagents and controls Sampling modeFull automation with continuous loadingDirect sampling from primary tubesSampling from open and capped tubes (cap piercing)Efficient mixing system with multiple sample inversionsCapillaries2 silica capillaries for 2 simultaneous migrations Migrations performed in capillaries at accurate temperature controlled by a Sebia proprietary Peltier based regulation device									
	Measurements taken on									
	Protein Analyser Including HBA1C						1.00			
						Total Qty	**1.00**	Nos	2290550.35	2290550.35

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 202	Cell Counter (5parts) (Haematology):TECHNICAL SPECIFICATIONMeasuring Data Throughput - 60 tests/hour34Parameters – WBC, LYM%, MON%, NEU%, EOS%, BASO%, LYM#, MON#, NEU#, EOS#, BAS#, RBC, HGB, HCT, MCV, MCH, MCHC, RDW_CV, RDW_SD, PLT, MPV, PDW, PCT, P _LCR, P_LCC, NRBC%, NRBC RETIC%_ABS, RETIC#, IRF, ALY%, ALY#, LIC%, LIC#2 Histograms for RBC and PLT2 Scatter grams: 5-part differential scatter gramEosinophils and Neutrophils scatter gram2 3-D stereogramsPrinciple of OperationsWBC/DIFF: Flow Cytometry, Semi-conductor. Based Laser light multi-dimensional cell classificationWBC Analysis: Optical and impedance measurementsRBC/PLT Analysis: Impedance methodHGB test: Cyanide-free reagent colorimetryCalibration and Control With standard, blood and manual calibrationWith L-J, X, X-R and X-B control modes.Technical FeaturesMultiuser mode- Multilevel user modes with individual identification (username, password)Data storage capacity - 200,000 records with graphicsPrintout - Internal Thermal Printer, External most of the HP printersExternal keyboard - PS/2 or USBInterfacing capabilities - RS232, USB, EthernetSoftware upgrade - via USB port (USB memorystick) Operating environment - Temperature: 15–30°C Relative humidity - max 80% (non-condensing) User Interface: Display: 10.4 inch with touch screen, Reagents and Sampling System Samples, Diluent, Sheath, etergent,Lyse, Whole blood : 20µL Pre-diluent : 20µL,Dimensions: Size (Width x Depth x Height): 46 cm x 49 cm x 33 cm Weight: 35 k									
	RA Bill-02									
	Measurements taken on									
	Cell counter									
							Item Not Operated			
Item No. 203	X-RAY viewing Box :Power Consumption: 14 W Light Source: LED Light Emitting Diodes Power Supply Input: AC100-240V 50/60Hz Application: Clinical, Hospital Net weight: 3 Kg Thickness: 45 mm									
	RA Bill-01									
	Measurements taken on									
	X-RAY viewing Box									
							6.00			
						Total Qty	6.00	Nos	117622.98	705737.88
Item No. 204	Elisa Washer:Features · 7.8" touch-screen with touch pen and pop-up keypad · Variable time and speed shaking modes · Powerful data management software for computer installation (optional) · High-capacity memory stores up to 20,000 results · Built-in thermal printer· RS232 for external PC control, 2 USB ports for external mouse, keyboard and printer									
	RA Bill-02									
	Measurements taken on									
	Elisa Washer						**Item Not Operated**			
Item No. 205	Elisa Reader :Features· Two rinsing bottles avoids bottle change· Compatible with flat, U- or V-bottom plates· 2 wash modes with interchangeable manifolds for 8- and 12-well strips · Automatic bottom detection and collision protection · Variable shaking and soaking time									
	RA Bill-02									
	Measurements taken on									
	Elisa Reader						**Item Not Operated**			
Item No. 206	GELCARD CENTRIFUGE :Advantages of Matrix Gel system: Stable End Reactions, Read results hours later, Can be saved for QA or peer review, Can be photocopied for documentation, Objective Interpretation of results, Easy interpretation of weak reactions, Relatively skill free, Enhanced Sensitivity, Better detectability especially in antibody screen and cross match, Eliminates cell wash step, Less skill and technique demands, Saves time, Small sample size More flexible, More convenient, Indigenously Manufactured,Easy availability, Long shelf life,Another first from Tulip,Tulip's Technical Support,Dependability									
	RA Bill-02									
	Measurements taken on									

Scanned by TapScanner

S. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
	GELCARD CENTRIFUGE									
						Total Qty	1.00			
							1.00	Nos	314240.00	314240.00
Item No. 207	GELCARD Incubator:Advantages of Matrix Gel system: Stable End Reactions, Read results hours later Can be saved for QA or peer review, Can be photocopied for documentation, Objective Interpretation of results, Easy interpretation of weak reactions Relatively skill free, Enhanced Sensitivity, Better detectability especially in antibody screen and cross match, Eliminates cell wash step, Less skill and technique demands, Saves time, Small sample size More flexible,More convenient, Indigenously Manufactured Easy availability Long shelf life,Another first from Tulip,Tulip's Technical Support,Dependability									
	RA Bill-02									
	Measurements taken on									
	GELCARD Incubator									
							1.00			
						Total Qty	1.00	Nos	314240.00	314240.00
Item No. 208	Digging of trench of 0.6m deep x 0.5D mtr wide refilling the trench to the required ground level and consolidating etc., complete.(As per Civil SR KSBB I-2, P-7)-in ordinary soil (Page no-41, Item No-6.6.1 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	Trench for Electrical cable									
						Item Not operated				
Item No. 209	Providing and filling sand in excavated trench to cover already laid UG cable to a depth of 150mm all-round the cable. (Page no-41, Item No-6.7 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	Trench for Electrical cable									
						Item Not operated				
Item No. 210	Supplying of LT UG cable having aluminium conductor PVC insulated, sheathed, galvanised, steel wire/steel tap armoured cable with PVC outer sheathing 1.1 KV class- 3.5 core 25 sqmm (Page no-40, Item No-6.4.5 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	Main line									
	3.5 core 25 sqmm		1	182			182.00			
						Total Qty	182.00	M	201.31	36638.42
Item No. 211	Supplying of LT UG cable having aluminium conductor PVC insulated, sheathed, galvanised, steel wire/steel tap armoured cable with PVC outer sheathing 1.1 KV class- 4 core 16 sqmm (Page no-40, Item No-6.4.4 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	4 core 16 sqmm									
	Pump Room to street light	1	1	124			124.00			
	Pump Room to Watch man Shed	1	1	50			50.00			
						Total Qty	174.00	M	166.94	29047.56
Item No. 212	Labour charges for laying of 1.1KV class UG calbe when supplied agency in existing trench GI pipe/ stpnewre pip / on wall / on pole as required. On wall /Structure- 25 sqmm to 75 sqmm (Page no-41, Item No-6.5.1 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	3.5 core 25 sqmm	1	1	156			156.00			
						Total Qty	156.00	Nos	19.64	3063.84

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 213	Labour charges for laying of 1.1KV class UG calbe when supplied agency in existing trench GI pipe/ stpnewre pip / on wall / on pole as required. On wall /Structure- 6 sqmm to 16 sqmm (Page no-41, Item No-6.5.1 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	4c 16sqmm	1	1	174			174.00			
						Total Qty	**174.00**	M	14.73	2563.02
Item No. 214	Good Quality Cable covering Tiles . As per the directions of Engineer in-charge "Technical specification-Electrical items"									
	RA Bill-02									
	Measurements taken on									
	Cable Covering Tiles	**Item Not Operated**								
Item No. 215	Supplying and fixing regular MCB distribution boards on wall / wood board / flush mounting using required clamps, bolts, nuts etc., with provision for fixing suitable type capacity MCB's single phase / 3 phase / single door with powder coated painting. Made out of 14 SWG MS enclosure -4Way SP &N (Page no-28, Item No-5.18.1 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	4Way SP &N Distribution board	2	1				2.00			
						Total Qty	**2.00**	Nos	883.80	1767.60
Item No. 216	Supplying and fixing miniature circuit breakers on existing MCB distribution boards using necessary fixing materials and 'C' Type curve, indicator ON/OFF, energy cross-3 with Short circuit breaking capacity of 10K and complete wiring as required confirming to IEC 60898.- 6-32 Amps DP (Page no-27, Item No-5.17.4 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	6-32 Amps DP	2					2.00			
						Total Qty	**2.00**	Nos	1080.20	2160.40
Item No. 217	Supplying, fixing, wiring, earth electrode for grounding conduits, I.C. cutouts and other equipment's on the meter board using 40mm dia 2.90mm thick GI pipe 2.5 mtr long buried in a pit ... The pit should be filled with equal proportion of salt and charcoal 150mm all-round the pipe to complete depth. The connection from the pipe to the conduit etc., is to be established through GI wire of size as per ISI specification 7.3.3. of IS 732 using 12mm dia bolts, nuts, washers and check nuts etc., the pipe shall have 16 through holes of 12 mm dia (Page no-40, Item No-6.1 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	Earthing	2					2.00			
						Total Qty	**2.00**	Nos	3437.00	6874.00
Item No. 218	Supplying and fixing of heavy duty cable glands suitable for UG cable of 1.1 KV class (metal only) (Page no-42, Item No-6.11.2 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	25 Sqmm cable glands	2					2.00			
						Total Qty	**2.00**	Nos	147.30	294.60

Scanned by TapScanner

Sl. NO / BOQ NO	Description of Item	No	No	Length (m)	Breadth (m)	Depth (m)	QTY	Unit	Rate	Amount
Item No. 219	Supplying tinned copper lugs and crimping and wiring to terminal point for wire of the following sizes.- 25sqmm long barral (Page no-43, Item No-6.17.7 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	25 Sqmm cable glands	4					4.00			
						Total Qty	**4.00**	Nos	24.55	98.20
Item No. 220	Supplying tinned copper lugs and crimping and wiring to terminal point for wire of the following sizes.- 16sqmm (Page no-43, Item No-6.17.6 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	16 sqmm copper lugs	8					8.00			
						Total Qty	**8.00**	Nos	14.73	117.84
Item No. 221	Supplying and running GI/Copper conductor for grounding and (along with other wires in conduit system of wiring) using necessary suitable size clamps, nails, guttas/spacers etc. -12 SWG GI Wire (Page no-43, Item No-6.18.1 of Electrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	12 SWG GI Wire	50	1				50.00			
						Total Qty	**50.00**	M	19.64	982.00
Item No. 222	Fabricating, supplying and erection of 6.0 Mtrs long hot dip Galvanized Conical pole with BSEN 10025 grade S355JO steel plate for shaft, IS 2062 for base plate with door opening arrangements, including suitable boards, Bakelite sheet and MCBs as per IS specifications suitable to withstand the wind speed of 47 m/sec for .....Mtrs pole in single section and single joint welded as per IS 9595/IS 10178AWS having dimensions bottom .....mm, top....mm with 3mm thick, suitable base plate and 4Nos of ..... long J bolts along with template and the pole shall be hot dip galvanized in single dipping with not less than 65micron as per ASTM-A123 and 153 etc.,(excluding foundation) as per drawing appended. - 6meters - Top 75mm and bottom 135 mm dia (Page no-14, Item No-4.4.4 of lectrical PWD SR 2019-20.)									
	RA Bill-02									
	Measurements taken on									
	6meters - Top 75mm and bottom 135 mm dia	7					7.00			
						Total Qty	**7.00**	Nos	11391.20	79738.40

Scanned by TapScanner